

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 MARCH 2001 / FOR PERIOD 1 MAR 2001 TO 14 MAR 2001 / VOL. 5/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 30 days and non-Government Standards within 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-O-71039(3) NOT 2	OBTURATING BAND, PLASTIC SPLIT (MOLDED)(CUST: AR]	D 1315		AR		17-FEB-01
M MIL-C-71134(2) NOT 2	CARTRIDGE, HE, 120MM, M933 W/FUZE M745 LOADING, ASSEMBLING AND PACKING(CUST: AR]	A 1315		AR		26-FEB-01
M MIL-C-71177(2)	CARTRIDGE, 120MM, INERT M934 W/INERT FUZE M734/M745 LOADING, ASSEMBLING AND PACKING(CUST: AR]	D 1315		AR		17-FEB-01
M MIL-S-13261G(7) NOT 1	SIGNALS, ILLUMINATION, GROUND, GREEN STAR CLUSTER M125A1, RED STAR CLUSTER M158, AND WHITE STAR CLUSTER M159, PARTS AND LOADING, ASSEMBLING AND PACKING(CUST: AR]	A 1370		AR		09-FEB-01
M MIL-S-13303G(5) NOT 1	SIGNALS, SMOKE, GROUND, HAND HELD PARACHUTE, GREEN SMOKE, M128A1, RED SMOKE, M129A1, AND YELLOW SMOKE, M194 PARTS AND LOADING, ASSEMBLING AND PACKING(CUST: AR]	A 1370		AR		09-FEB-01
N MIL-PRF-32080	TRUCK, TANK, AIRCRAFT REFUELING, 6000 GALLON, A/S32R-11(CUST: 99]	A 2320		84		01-MAR-01
M QPL-24403-31	ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR	A 3439		SH		13-FEB-01
M MIL-S-955D NOT 2	SHOWER HEADS AND OUTFITS (SHIPBOARD USE)(CUST: SH IS]	A 4510		IS		01-MAR-01
M SAE-AS5201	FITTING END, EXTERNAL TAPER PIPE THREAD, DESIGN STANDARD(CUST: AS 99 CC] [REVIEW: 70 71 GS SA]	A 4730		CC		12-JAN-01
N SAE-AS27194	SEAL, PLAIN, RUBBER, (-65 TO +160 DEGREES F FUEL RESISTANT), MOLD IN GROOVE(CUST: 99]	A 5330		IS		01-MAR-01
N SAE-AS27195	SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT (-65 TO +275 DEGREES F), MOLD IN GROOVE(CUST: 99]	A 5330		IS		01-MAR-01
N SAE-AS27196	GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS AND FUELS (-65 TO +400 DEGREES F) MOLD IN GROOVE(CUST: 99]	A 5330		IS		01-MAR-01
N SAE-AS27197	SEAL, PLAIN, RUBBER, (HOT AIR RESISTANT 400 DEGREES F) MOLD IN GROOVE(CUST: 99]	A 5330		IS		01-MAR-01
N SAE-AS27198	SEAL, PLAIN, RUBBER, (-65 TO 350 DEGREES F FUEL RESISTANT) MOLD IN GROOVE(CUST: 99]	A 5330		IS		01-MAR-01
N SAE-AS28772	PACKING, PREFORMED, (D RING, SHOCK STRUT)(CUST: AV AS 99]	A 5330		IS		01-MAR-01
N SAE-AS35769	GASKET, METALLIC, ENCASED, ANNULAR, COPPER(CUST: AR 99]	A 5330		IS		01-MAR-01
N SAE-AS28778	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS(CUST: AV AS 99]	A 5331		IS		01-MAR-01
N SAE-AS29512	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING O RING(CUST: AV AS 11]	A 5331		IS		01-MAR-01
N SAE-AS29513	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, O RING(CUST: AV AS 11]	A 5331		IS		01-MAR-01
N SAE-AS29561	PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT(CUST: MR AS 99]	A 5331		IS		01-MAR-01
M MIL-PRF-55182/9F(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNC90(CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342G(4) SUP 1A	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/1H(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0502(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/2H(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0505(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/3H(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1005(CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/4H(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1505(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/5H(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2208(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/6F(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0705(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/7D(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1206(CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/8C(2)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2010(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/9C(4)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2512(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/10B(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1010(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/11(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0402(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M MIL-PRF-55342/12(1)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0603(CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR		27-FEB-01
M QPL-55182-144	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A 5905		CR		05-MAR-01
M QPL-55342-82	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A 5905		CR		01-MAR-01
M QPL-39003-83	CAPACITORS, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910		CC		05-MAR-01
M QPL-55365-62	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910		CR		01-MAR-01
M QPL-55681-104	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910		CR		01-MAR-01
M MIL-PRF-22885/18H	SWITCH, PUSH BUTTON, ILLUMINATED, DRIP PROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES)(CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/52C	SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLANAR COLOR FILTERS)(CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/53D	SWITCH, PUSH BUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS)(CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/86C	SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING(CUST: EC CC]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/88C	SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR(CUST: CR EC 11 CC]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/93C	SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, LOGIC LOAD TO 3 AMPERES, UNSEALED(CUST: CR EC 11 CC]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/101D	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX, GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE(CUST: 11 CC]	A 5930		CC		01-MAR-01
M MIL-PRF-22885/104B	PUSHBUTTON, ILLUMINATED, 4 LAMP, SUNLIGHT READABLE (FOR ILLUMINATED PUSHBUTTON SWITCH)(CUST: EC CC]	A 5930		CC		01-MAR-01

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-PRF-24236C SUP 1	SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS SH]	A	5930		CC	02-MAR-01
M MIL-PRF-83504/4E	SWITCHES, SLIDE, DUAL IN-LINE PACKAGE (DIP), SINGLE AND DOUBLE POLE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI SH]	A	5930		CC	23-FEB-01
M QPL-26482-80	CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	02-MAR-01
M QPL-38999-80	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A	5935		CC	07-MAR-01
M QPL-83723-56	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	02-MAR-01
M QPL-6106-55	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR	A	5945		CC	02-MAR-01
M QPL-39016-87	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5945		CC	02-MAR-01
M QPL-83536-20	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5945		CC	02-MAR-01
M MIL-PRF-83446B(5) SUP 1A	COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR 4C MC MI OS SH]	A	5950		CC	25-FEB-01
M MIL-PRF-19500/240H(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N645-1, 1N647-1, 1N649-1, 1N645UR-1, 1N647UR-1, 1N649UR-1, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: AR AS AV CG MC MI]	A	5961		CC	16-FEB-01
M MIL-PRF-19500/290H(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, AND 2N2905AL, JAN, JANTX, JANTXV, JANJ, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSJ, JANSJ, JANSR, AND JANSJ[CUST: CR EC 11 CC] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	13-MAR-01
M MIL-PRF-19500/291J(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUB, 2N2907AUB, JAN, JANTX, JANTXV, JANJ, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	13-MAR-01
M MIL-PRF-19500/317J	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2369A, 2N3227, 2N4449, 2N2369AU, 2N3227U, 2N4449U, 2N2369AUA, 2N3227UA, 2N4449UA, 2N2369AUB, 2N3227UB, AND 2N4449UB, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	09-MAR-01
M MIL-PRF-19500/428D(1)	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL SILICON, TYPE 2N4416A, JAN, JANTX, JANTXV AND JANS[CUST: EC 11 CC] [REVIEW: 19 MC]	A	5961		CC	22-FEB-01
M MIL-PRF-19500/439E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, HIGH-POWER TYPES 2N5038 AND 2N5039, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	23-FEB-01
M MIL-PRF-19500/586E(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, HERMETIC TYPES 1N5819-1, 1N5819UR-1, 1N6650-1, 1N6650UR-1, 1N6761-1, AND 1N6761UR-1, JAN, JANTX, JANTXV, JANS, JANJ, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM]	A	5961		CC	16-FEB-01
M MIL-PRF-19500/660(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTOR, P-CHANNEL SILICON TYPES 2N7424, 2N7425 AND 2N7426, JANTXVR, JANTXVF, JANSR, AND JANSF[CUST: CR EC 11 NA]	A	5961		CC	21-FEB-01
N MIL-PRF-19500/683	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TYPE 2N7467U2, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA]	A	5961		CC	09-MAR-01
M MIL-HDBK-103K	LIST OF STANDARD MICROCIRCUIT DRAWINGS[CUST: CC]	A	5962		CC	05-MAR-01
M QPL-26542-13	MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC, GENERAL SPECIFICATION FOR	A	5965		CC	05-MAR-01
M QPL-24705-5	PENETRATORS, MULTIPLE CABLE FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR	A	5975		SH	27-FEB-01
M QML-31032-9	PRINTED CIRCUIT BOARDS/PRINTED WIRING BOARDS, GENERAL SPECIFICATION FOR	A	5998		CC	01-MAR-01
M QPL-83528-37	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR	A	5999		CC	02-MAR-01
M A-A-52021 NOT 2	SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM[CUST: CE 99 GS1] [REVIEW: 82 GL SM]	A	6670	/	GS1	13-MAR-01
N A-A-20307	DOUGH, COOKIE, UNBAKED, REFRIGERATED OR FROZEN	A	8935	#	FV	20-NOV-00
M A-A-52557A	FUEL OIL, DIESEL; FOR POSTS, CAMPS AND STATIONS[CUST: AT SH 68] [REVIEW: 03 11 AR EC MC MI PS SA]	A	9140	/	AT	16-JAN-01
M MIL-PRF-46147C	LUBRICANT, SOLID FILM, AIR CURED (CORROSION INHIBITING)[CUST: AT AS 68] [REVIEW: 11 AV GS MD MI OS PS]	A	9150		AT	18-JAN-01
M QPL-2104-42	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE	A	9150		AT	12-MAR-01
M QPL-2105-30	LUBRICATING OIL, GEAR, MULTIPURPOSE	A	9150		AT	12-MAR-01
M QPL-21260-28	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN	A	9150		AT	20-FEB-01
M MIL-STD-188/124B NOT 3	GROUNDING, BONDING AND SHIELDING FOR COMMON LONG HAUL/TACTICAL COMMUNICATION SYSTEMS INCLUDING GROUND BASED COMMUNICATIONS-ELECTRONICS FACILITIES AND EQUIPMENTS[Interface Standard][CUST: AC EC 02 DC1] [REVIEW: 11 13 93 CG CM CR DC5 DI IR MC MI MP NC NS OM PT SE TD]	A	TCSS		DC1	18-DEC-00
M MIL-HDBK-1222A(1)	GUIDE TO THE GENERAL STYLE AND FORMAT OF U.S. ARMY WORK PACKAGE TECHNICAL MANUALS[CUST: TM] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	01-FEB-01

INACTIVE SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-F-48425A(4) NOT 2	FIN ASSEMBLY, M24[CUST: AR]	A	1310		AR	23-FEB-01
M	OO-W-2803 NOT 1	WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE, FOR PONTOON BARGES[CUST: YD CC] [REVIEW: SA]	A	3950	/	CC	29-DEC-00
M	F-B-2903 NOT 1	BOILERS, STEAM AND HOT WATER, FIRETUBE, SCOTCH PACKAGED TYPE (320,001 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY)[CUST: YD 99 CC] [REVIEW: 84 MC SA]	A	4410	/	CC	29-DEC-00
M	MS25468K(2)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MIL-PRF-19500/312D	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N708, JAN, JANTX, AND JANHC[CUST: CR EC 11 CC] [REVIEW: 13 19 80 AR AS AV CG MC MI OS SH SM]	A	5961		CC	20-FEB-01
M	MIL-M-38510/18A NOT 2	MICROCIRCUITS, DIGITAL, TTL, REGISTER FILE, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAR-01
M	MIL-M-38510/19(3) NOT 2	MICROCIRCUITS, DIGITAL TTL, PARTY GENERATORS/CHECKERS, MONOLITHIC SILICON[CUST: 11] [REVIEW: 03 19 99]	A	5962		CC	03-MAR-01
M	MIL-M-38510/20A(2) NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, NAND GATES MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 13 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAR-01
M	MIL-M-38510/24A NOT 1	MICROCIRCUITS, DIGITAL, TTL, NAND BUFFERS, HIGH SPEED, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAR-01
M	MIL-M-38510/25D NOT 2	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAR-01
M	MIL-M-38510/29C NOT 1	MICROCIRCUIT, DIGITAL, TTL, LOW POWER DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/31A NOT 2	MICROCIRCUITS, DIGITAL, DTL, NAND BUFFER/EXTENDER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/35B NOT 2	MICROCIRCUITS, DIGITAL, CLOCK DRIVERS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/40A NOT 1	MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, & OR INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/42C NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW POWER MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/44B NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	07-MAR-01
M	MIL-M-38510/102B(1) NOT 2	MICROCIRCUITS, LINEAR, VOLTAGE REGULATOR, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-MAR-01
M	MIL-M-38510/103E(1) NOT 2	MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-MAR-01
M	MIL-M-38510/104B(1) NOT 2	MICROCIRCUITS, LINEAR, LINE DRIVERS AND RECEIVERS MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-MAR-01
M	MIL-M-38510/105(3) NOT 2	MICROCIRCUITS, LINEAR, CMOS, HIGH LEVEL ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-MAR-01
M	MIL-M-38510/106A(4) NOT 2	MICROCIRCUITS, LINEAR, VOLTAGE FOLLOWER OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-MAR-01
M	QPL-46058-80	INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) GENERAL SPECIFICATION FOR	A	5970		CC	01-MAR-01
M	MIL-P-50884D	PRINTED WIRING BOARD, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 16 99 AR AS CG MC MI OS SH TD]	A	5998		CC	28-DEC-00
M	MIL-STD-188/171 NOT 1	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE I[Interface Standard][CUST: CR EC 02 NS] [REVIEW: AC MC OM TD]	A	TCSS		DC1	13-FEB-01
M	MIL-STD-188/172 NOT 1	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE II[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 13]	A	TCSS		DC1	13-FEB-01
M	MIL-STD-188/173 NOT 1	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE V[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 AC MC OM TD]	A	TCSS		DC1	13-FEB-01
M	MIL-STD-188/174 NOT 1	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE VI[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 AC MC NC OM TD]	A	TCSS		DC1	13-FEB-01

CANCELED SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS22066C NOT 2	VALVE, CHECK, OXYGEN CHARGING (S/S BY MIL-PRF-7891)[CUST: AS 99] [REVIEW: 11]	A	1660		71	12-MAR-01
M	QPL-45334-6(1) NOT 1	COMPRESSORS, ASSEMBLIES, AIRBRAKE SYSTEM; WHEELED VEHICLE (NO S/S DOCUMENT)	A	2530		AT	07-MAR-01
M	A-A-243B NOT 1	SHEARS; PRUNING (TWO HAND, LOPPING) (NO S/S DOCUMENT)	A	3750	#	FSS	15-NOV-00
M	A-A-962A NOT 1	SHEARS, PRUNING, HAND (ONE HAND OPERATED) (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84]	A	3750	%	FSS	15-NOV-00
M	A-A-970A NOT 1	BUSH HOOK, HAND (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84]	A	3750	%	FSS	15-NOV-00
M	A-A-2127 NOT 1	GRASS HOOK (SCYTHE TYPE) (NO S/S DOCUMENT)	A	3750	#	FSS	15-NOV-00
M	A-A-2745A NOT 1	SPRINKLER, LAWN (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84]	A	3750	%	FSS	15-NOV-00
M	A-A-2845 NOT 1	SHEARS; GRASS CUTTING AND HEDGE TRIMMING (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84]	A	3750	%	FSS	15-NOV-00
M	A-A-2846 NOT 1	RAKE, HAND (GARDEN AND LAWN) (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84]	A	3750	%	FSS	15-NOV-00
M	A-L-2924 NOT 1	LIFTING, LAUNCHING, AND SIDE CARRYING EQUIPMENT FOR PONTOONS ON 1179 CLASS LST VESSELS (NO S/S DOCUMENT)[CUST: YD CC] [REVIEW: SH]	A	4010	/	CC	28-FEB-01
M	XX-P-2801 NOT 1	PUMP AND HEATER, FUEL OIL (NO S/S DOCUMENT)[CUST: AT YD CC] [REVIEW: CG MD SA]	A	4320	/	CC	29-DEC-00
M	F-F-2901 NOT 1	FEEDERS, BOILER WATER TREATMENT, BY-PASS AND COMPOUND RECEIVER TYPES (NO S/S DOCUMENT)[CUST: YD 99 CC] [REVIEW: 84 SA]	A	4410	/	CC	29-DEC-00
M	W-H-2904 NOT 1	HEATERS, FLUID, DEAERATING (FOR WATER ONLY) 1,000 TO 1,600,000 POUNDS PER HOUR CAPACITY (NO S/S DOCUMENT)[CUST: CE SH CC] [REVIEW: SA]	A	4420	/	CC	29-JAN-01
M	F-F-320C NOT 1	FILTERS, ELECTRONIC AIR CLEANING, IONIZING PLATE TYPE (NO S/S DOCUMENT)[CUST: SH 99 CC] [REVIEW: 84 SA]	A	4460	/	CC	29-JAN-01
M	WW-W-2845 NOT 1	WATER PURIFICATION UNIT, FRAME MOUNTED DIATOMITE TYPE (NO S/S DOCUMENT)[CUST: CE SH CC] [REVIEW: MC SA]	A	4610	/	CC	29-JAN-01
M	MS24397F NOT 2	REDUCER, BOSS, PRECISION TYPE (S/S BY SAE-AS5172)[CUST: AV AS 99 CC] [REVIEW: 70 71 AT MC SA]	A	4730		CC	23-FEB-01
M	MS24398H NOT 2	ADAPTER, STRAIGHT, TUBE TO BOSS, PRECISION TYPE (S/S BY SAE-AS5173)[CUST: AV AS 99 CC] [REVIEW: 70 71 AT MC SA]	A	4730		CC	23-FEB-01
M	MS33677A NOT 2	FITTING END, TAPER PIPE THREAD, STANDARD DIMENSIONS FOR (S/S BY SAE-AS5201)[CUST: AR AS 99 CC] [REVIEW: 70 71 GL MI SA]	A	4730		CC	12-JAN-01
M	AN894 REV 9 NOT 2	BUSHING, SCREW THREAD, EXPANDER (S/S BY SAE-AS5173)[CUST: AV AS 99 CC] [REVIEW: 70 71 MC SA]	A	4730		CC	23-FEB-01
M	AND10052 REV 2 NOT 2	BOSSSES - STANDARD DIMENSIONS FOR EXTERNAL PIPE THREAD (S/S BY SAE-AS5201)[CUST: AS 99 CC] [REVIEW: 70 71 GS SA]	A	4730		CC	12-JAN-01
M	A-A-453 NOT 1	FRAME, HAND HACKSAW, ADJUSTABLE LENGTH (NO S/S DOCUMENT)	A	5110	#	FSS	20-NOV-00
M	A-A-2967 NOT 1	PUNCH, CUTTING, REVOLVING HEAD (NO S/S DOCUMENT)	A	5110	#	FSS	20-NOV-00
M	A-A-3047 NOT 1	CUTTER, BOLT (NO S/S DOCUMENT)	A	5110	#	FSS	20-NOV-00
M	A-A-3032 NOT 1	PEAVY (NO S/S DOCUMENT)	A	5120	#	FSS	20-NOV-00
M	MS21098(1) NOT 1	BOLT, SELF LOCKING, STEEL, 160 KSI, FTU 250 DEG. F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) (S/S BY NASM21098)[CUST: AS 99 IS] [REVIEW: 82]	A	5306		IS	20-JUL-00
M	MIL-F-8975/2A NOT 1	FASTENER, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD, TYPE II, CLASS I (S/S BY NASM8975/2)[CUST: AV AS 11] [REVIEW: 99 AR]	A	5320		IS	08-JUN-00
M	MS27194 NOT 2	SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 160 DEG. F FUEL RESISTANT), MOLD IN GROOVE (S/S BY SAE-AS27194)[CUST: 99 IS] [REVIEW: 82 CR4]	A	5330		IS	01-MAR-01
M	MS27195A NOT 2	SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT, (MINUS 65 TO PLUS 275 DEG F), MOLD IN GROOVE (S/S BY SAE-AS27195)[CUST: 99 IS] [REVIEW: 82 MI]	A	5330		IS	01-MAR-01
M	MS27196B NOT 2	GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS, AND FUELS (MINUS 65 TO PLUS 400 DEG. F) MOLD IN GROOVE (S/S BY SAE-AS27196)[CUST: 99 IS] [REVIEW: 82]	A	5330		IS	01-MAR-01
M	MS35769B NOT 2	GASKET, METALLIC, ENCASED, ANNULAR, COPPER (S/S BY SAE-AS35769)[CUST: AR 99 IS] [REVIEW: 82 AT CR4]	A	5330		IS	01-MAR-01
M	MS28778C NOT 1	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS (S/S BY SAE-AS28778)[CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI]	A	5331		IS	01-MAR-01
M	MS29512C NOT 3	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING, "O" RING (S/S BY SAE-AS29512)[CUST: AV AS 11] [REVIEW: 99 AT CR4 MI]	A	5331		IS	01-MAR-01
M	MS29513C NOT 3	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING (S/S BY SAE-AS29513)[CUST: AV AS 11] [REVIEW: 99 AR AT CC CR4 MI]	A	5331		IS	01-MAR-01
M	MS29561A NOT 1	PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT (S/S BY SAE-AS29561)[CUST: MR AS 99] [REVIEW: 11 AR CR4 MC MI]	A	5331		IS	01-MAR-01
M	QPL-3926-11(5) NOT 2	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) (NO S/S DOCUMENT)	A	5355		IS	09-MAR-01
M	MIL-T-4097(1) NOT 1	TUBE, ELECTRON, TYPE USAF 2E32 (NO S/S DOCUMENT)[CUST: 99 CC]	A	5960		CC	02-FEB-01
M	A-A-51784A NOT 1	HALOPERIDOL TABLETS, USP (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6505	/	MB	16-FEB-01
M	A-A-53564 NOT 1	FLUPHENAZINE DECANOATE INJECTION (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	16-FEB-01
M	A-A-53694 NOT 1	HYDRALAZINE HYDROCHLORIDE INJECTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6505	/	MB	16-FEB-01
M	A-A-54086 NOT 1	HIDROCORTISONE, ENEMA, USP (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6505	/	MB	16-FEB-01
M	A-A-665E NOT 1	ENAMEL, FAST-DRY AEROSOL (S/S BY A-A-2787)[CUST: 99] [REVIEW: 84]	A	8010	*	99	30-NOV-00
M	A-A-2786 NOT 1	PRIMER COATING (AEROSOL, LEAD AND CHROMATE FREE) (NO S/S DOCUMENT)	A	8010	#	FSS	30-NOV-00
M	TT-P-32B NOT 1	PAINT, BLACKBOARD COATING (NO S/S DOCUMENT)	A	8010	#	FSS	03-APR-98
M	A-A-2851A NOT 1	KIT, PAINT ROLLER (NO S/S DOCUMENT)	A	8020	#	FSS	07-NOV-00
M	A-A-2542 NOT 3	SEALER, TERRAZO AND CONCRETE FLOORS, WATERBASED (NO S/S DOCUMENT)[CUST: MR SH]	A	8030	*	MR	28-NOV-00
M	A-A-3053 NOT 1	ADHESIVE, EPOXY RESIN BASE, GENERAL PURPOSE (NO S/S DOCUMENT)	A	8040	#	FSS	28-NOV-00